

CONTENTS

| | Page |
|--|-------------|
| MESSAGES | (iii-vi) |
| PREFACE | (vii) |
| COMMITTEE | (viii) |
| FOREWORD | (ix) |
| GLOSSARY & ABBREVIATIONS | (xvi) |
| Chapter 1: INTRODUCTION | 1 |
| 1.1 BACKGROUND AND PROGRESS OF IMPLEMENTATION OF SHP | 1 |
| 1.2 POWER SUPPLY POSITION | 1 |
| 1.3 SMALL HYDRO POTENTIAL | 1 |
| 1.4 REVIEW OF SHP-PERFORMANCE DURING 10 TH PLAN | 2 |
| 1.5 THRUST ON SHP PROJECTS | 3 |
| 1.6 ECONOMIC VIABILITY OF SHPs | 3 |
| 1.7 FEATURES OF SMALL HYDRO PRODECTS | 3 |
| 1.8 PRESENT SCENARIO | 4 |
| 1.9 POLICIES /INCENTIVES BY GOVT. OF INDIA & STATE GOVTS. | 4 |
| 1.10 STANDARDS / GUIDE LINES | 4 |
| 1.11 IMPORTANCE OF MANUAL | 5 |
| Chapter 2: POLICY AND REGULATORY MECHANISM | 6 |
| 2.1 INTRODUCTION | 6 |
| 2.2 THE AIM AND ACHIEVEMENT | 6 |
| 2.3 RENEWABLE ENERGY POLICY OF CENTRAL / STATE GOVT. | 6 |
| 2.4 HYDRO POLICY | 6 |
| 2.5 ELECTRICITY ACT 2003 | 7 |
| 2.6 NATIONAL ELECTRICITY POLICY | 7 |
| 2.7 NATIONAL REHABILITATION & RESETTLEMENT POLICY 2007 | 7 |
| 2.8 NATIONAL TARIFF POLICY | 8 |
| 2.9 STATE POLICY FOR PRIVATE SHP PROJECTS | 8 |
| 2.10 PROJECTS UNDER MNRE/IREDA SUBSIDY SCHEMES | 8 |
| 2.11 REGULATORY MECHANISM | 9 |
| Chapter 3: IDENTIFICATION OF SITE | 18 |
| 3.1 INTRODUCTION | 18 |
| 3.2 TYPE OF DEVELOPMENTS | 18 |
| 3.3 OPTIMIZATION OF LAYOUT | 20 |
| 3.4 SITE SELECTION AND BASIC LAYOUT | 20 |
| 3.5 ELECTRICAL SYSTEM OPERATION | 21 |
| 3.6 SITE EVALUATION | 21 |
| Chapter 4: FIELD INVESTIGATIONS | 25 |
| 4.1 FIELD INVESTIGATIONS | 25 |
| 4.2 HYDROLOGICAL INVESTIGATIONS | 25 |
| 4.3 TOPOGRAPHICAL SURVEYS | 25 |
| 4.4 GEOLOGICAL INVESTIGATIONS | 29 |
| 4.5 CONSTRUCTION MATERIAL SURVEY | 33 |
| 4.6 INFRASTRUCTURE | 33 |
| 4.7 POWER MARKET SURVEY | 33 |

| | Page |
|--|-------------|
| 4.8 SURVEYS FOR EVACUATING POWER | 33 |
| 4.9 CRITERIA FOR GRADING OF SCHEMES | 33 |
| Chapter 5: HYDROLOGY | 35 |
| 5.1 INTRODUCTION | 35 |
| 5.2 TYPE -1 SCHEME –RUN OF RIVER SCHEME | 35 |
| 5.3 TYPE 2&3 SCHEMES ON CANAL FALLS/DAM TOE POWER HOUSE | 41 |
| Chapter 6: ASSESSMENT OF POWER POTENTIAL & OPTIMIZATION OF INSTALLED CAPACITY | 81 |
| 6.1 LOAD SURVEY | 81 |
| 6.2 POWER POTENTIAL | 81 |
| 6.3 HEAD | 82 |
| 6.4 DETERMINATION OF NET HEAD | 82 |
| 6.5 ASSESSMENT OF POWER POTENTIAL | 83 |
| 6.6 OPTIMIZATION STUDIES FOR DETERMINATION OF INSTALLED CAPACITY | 86 |
| 6.7 NUMBER OF UNITS TO BE INSTALLED | 89 |
| 6.8 ENERGY GENERATION AND SALE | 89 |
| Chapter 7: ENVIRONMENTAL ASPECTS | 94 |
| 7.1 ENVIRONMENTAL ASPECTS | 94 |
| Chapter 8: DESIGN OF CIVIL WORKS | 103 |
| 8.1 TYPE 1: RUN-OF-THE-RIVER SCHEMES | 103 |
| 8.2 TYPE 2: SCHEMES ON CANAL FALLS | 122 |
| 8.3 TYPE 3: POWERHOUSE LOCATED DOWNSTREAM OF AN EXISTING DAM/BARRAGE | 125 |
| Chapter 9: DESIGN OF HYDRO ELECTRIC EQUIPMENTS | 144 |
| 9.1 INTRODUCTION | 144 |
| 9.2 REVIEW OF TURBINES AND THEIR APPLICATION | 146 |
| 9.3 TURBINE AND GENERATOR RATINGS, OTHER PARAMETERS | 146 |
| 9.4 RANGES OF APPLICATION | 147 |
| 9.5 SELECTION OF TYPE OF TURBINE | 147 |
| 9.6 COMPUTATION OF SPEED OF TURBINE | 149 |
| 9.7 RUNNER DIAMETER AND DIMENSIONS OF TURBINE | 150 |
| 9.8 SETTING OF RUNNER TO MINIMISE CAVITATION | 155 |
| 9.9 LAYOUT AND DIMENSIONS OF POWERHOUSE WITH TURBINES OF DIFFERENT TYPES | 156 |
| 9.10 EFFICIENCY OF TURBINES | 156 |
| 9.11 GENERATORS | 157 |
| 9.12 BRIEF REVIEW OF MAIN THEORETICAL FACTORS WHICH GOVERN DESIGN OF GENERATORS | 159 |
| 9.13 ANCILLARY AND AUXILIARY EQUIPMENT ITEMS | 162 |
| 9.14 POWER STATION ELECTRICAL LAYOUT (OR SINGLE LINE DIAGRAM) | 164 |
| 9.15 OTHER ELECTRICAL/MECHANICAL EQUIPMENT OF THE POWERHOUSE | 164 |
| 9.16 DC SUPPLY EQUIPMENT | 168 |
| 9.17 H.T. BREAKERS (33 KV OR 11 KV OR 6.6 KV OR 3.3 KV) | 168 |
| 9.18 ISOLATING SWITCHES, LIGHTNING ARRESTERS | 168 |
| 9.19 POWER AND CONTROL CABLES | 168 |

| | Page |
|--|-------------|
| 9.20 EARTHING SYSTEM | 169 |
| 9.21 DEWATERING SYSTEM | 171 |
| 9.22 DRAINAGE SYSTEM | 171 |
| 9.23 CRANE FACILITIES | 171 |
| 9.24 FIRE PROTECTION SYSTEM | 171 |
| Chapter 10:HYDRO MECHANICAL EQUIPMENT | 176 |
| 10.1 INTRODUCTION | 176 |
| 10.2 TYPE OF GATES | 176 |
| 10.3 TYPE OF HOISTS | 176 |
| 10.4 PLANNING OF VARIOUS COMPONENTS OF GATES | 181 |
| 10.5 DESIGN & DESIGN CRITERIA | 181 |
| 10.6 REQUIREMENTS FOR THE THREE TYPES OF SMALL HYDRO SCHEMES | 182 |
| Chapter 11: COST ESTIMATES, EVALUATION AND FINANCIAL ANALYSIS | 186 |
| SECTION- 1: COST ESTIMATES | |
| 11.1 INTRODUCTION | 186 |
| 11.2 ESTIMATES FOR CIVIL WORKS | 186 |
| 11.3 PREPARATION OF ESTIMATES | 188 |
| 11.4 ESTIMATE FOR ELECTRICAL & MECHANICAL WORKS | 189 |
| SECTION- 2: ECONOMIC AND FINANCIAL EVALUATION | |
| 11.5 ECONOMIC EVALUATION | 194 |
| 11.6 FINANCIAL EVALUATION | 195 |
| 11.7 SALE RATE OF ENERGY AND TARIFF FORMULATION | 196 |
| Chapter 12:FINANCING ARRANGEMENTS AND APPROVALS | 207 |
| 12.1 INTRODUCTION | 207 |
| 12.2 COST OF PROJECT | 208 |
| 12.3 SOURCES OF FINANCE | 208 |
| 12.4 FISCAL & FINANCIAL INCENTIVES FOR SMALL HYDRO | 209 |
| 12.5 INDIAN RENEWABLE ENERGY DEVELOPMENT AGENCY (IREDA) | 209 |
| Chapter 13:PREPARATION FOR IMPLEMENTATION | 212 |
| 13.1 INTRODUCTION | 212 |
| 13.2 PRE-FEASIBILITY STUDIES | 212 |
| 13.3 DETAILED PROJECT REPORT (DPR) | 212 |
| 13.4 FINANCIAL ARRANGEMENT | 212 |
| 13.5 APPROVAL/CLEARANCES FROM STATUTORY AUTHORITIES | 213 |
| 13.6 ADVANCE ACTION | 213 |
| Chapter 14:STANDARD CAPACITIES AND EQUIPMENT | 221 |
| 14.1 INTRODUCTION | 221 |
| 14.2 MAIN TYPES OF TURBINES | 221 |
| 14.3 BASIC FACTORS OF STANDARD DESIGNS | 222 |
| Chapter 15:STANDARDS FOR SMALL HYDRO POWER PROJECTS | 238 |
| 15.1 INTRODUCTION | 238 |
| 15.2 STANDARDS AND USES | 238 |
| 15.3 STANDARDS AND GUIDELINES | 239 |
| 15.4 STANDARDS/MANUALS/GUIDELINES UNDER PREPARATION | 240 |
| 15.5 TECHNOLOGY IMPROVEMENT | 240 |

| | Page |
|--|-------------|
| Chapter 16:PROCUREMENT OF EQUIPMENT, WORKS AND CONSULTANCY SERVICES | 243 |
| 16.1 INTRODUCTION | 243 |
| 16.2 CONSULTANCY SERVICES FOR SHP | 243 |
| 16.3 ROLE OF CONSULTANT | 243 |
| 16.4 INVESTIGATION AND PLANNING | 244 |
| 16.5 ASSISTANCE IN APPROVALS AND CLEARANCES | 244 |
| 16.6 WORKS DURING DESIGN-ENGG./EXECUTION | 244 |
| 16.7 POST EXECUTION | 246 |
| 16.8 SELECTION OF CONTRACTORS | 246 |
| 16.9 CONTRACT PROCEDURES | 246 |
| 16.10 TURNKEY CONTRACTS | 247 |
| 16.11 TENDERING PRACTICES | 247 |
| 16.12 TENDERING PROCEDURES FOR WORLD BANK AIDED PROJECTS | 248 |
| 16.13 CONTRACT DOCUMENTS | 248 |
| 16.14 PROCUREMENT REQUIREMENTS | 248 |
| 16.15 WORLD BANK PROCUREMENT GUIDELINES | 248 |
| 16.16 LIST OF MANUFACTURES | 249 |
| 16.17 CONCLUSION | 249 |
| Chapter 17:MONITORING DURING CONSTRUCTION | 265 |
| 17.1 INTRODUCTION | 265 |
| 17.2 NEED OF A CONSTRUCTION SCHEDULE | 265 |
| 17.3 PERT CHART | 265 |
| 17.4 LAND ACQUISITION | 266 |
| 17.5 ELECTRO-MECHANICAL EQUIPMENT | 266 |
| 17.6 CONSTRUCTION MATERIALS | 266 |
| 17.7 EXPLOSIVES | 266 |
| 17.8 GEOLOGICAL UNCERTAINTIES | 266 |
| 17.9 TIME AND COST OVER-RUNS | 266 |
| 17.10 CONSTRUCTION MACHINERY | 266 |
| 17.11 INSPECTION | 266 |
| 17.12 STORAGE OF EQUIPMENT/SPARES | 266 |
| 17.13 MONITORING OF WORLD BANK AIDED PROJECTS | 266 |
| 17.14 MONITORING OF OTHER PROJECTS | 266 |
| Chapter 18:ERECTION AND COMMISSIONING | 272 |
| 18.1 INTRODUCTION | 272 |
| 18.2 CONTROLS | 273 |
| Chapter 19:POWER EVACUATION ARRANGEMENTS | 276 |
| 19.1 INTRODUCTION | 276 |
| 19.2 FACTORS INFLUENCING POWER EVACUATION ARRANGEMENT | 276 |
| 19.3 TRANSMISSION VOLTAGE CONSIDERATIONS | 276 |
| 19.4 UNIT AND NON-UNIT SYSTEM | 277 |
| 19.5 EXISTING POWER SYSTEM IN THE VICINITY | 277 |
| 19.6 ARRANGEMENT FOR EVACUATION | 279 |
| 19.7 PROTECTION AND COMMUNICATION | 279 |

| | Page |
|--|-------------|
| 19.8 INTERCONNECTION AND WHEELING CHARGES AND BANKING OF ENERGY | 279 |
| 19.9 POWER PURCHASE AGREEMENT | 280 |
| Chapter 20: QUALITY ASSURANCE | 281 |
| 20.1 INTRODUCTION | 281 |
| 20.2 QUALITY CONTROL | 281 |
| 20.3 QUALITY ASSURANCE | 281 |
| 20.4 INSPECTION & TESTING | 283 |
| Chapter 21: CARBON CREDITS OPPORTUNITIES FOR HYDRO PROJECTS | 285 |
| 21.1 INTRODUCTION | 285 |
| 21.2 CLEAN DEVELOPMENT MECHANISM (CDM) AND CARBON TRADING | 287 |
| 21.3 CDM METHODOLOGIES | 287 |
| 21.4 CDM PROCEDURE –IN DETAIL | 288 |
| 21.5 PARTIES INVOLVED & THEIR ROLE | 291 |
| 21.6 TENTATIVE TIME SCHEDULE FOR CDM | 292 |
| 21.7 TENTATIVE COST SCHEDULE AND REALIZATION | 292 |
| 21.8 HYDRO CDM PROJECT AND ENVIRONMENTAL CONCERNS | 293 |
| Chapter 22: OPERATION & MAINTENANCE GUIDELINES | 294 |
| 22.1 INTRODUCTION | 294 |
| 22.2 GUIDELINES FOR OPERATION OF SMALL HYDRO POWER PLANT | 294 |
| 22.3 GUIDELINES FOR MAINTENANCE OF SMALL HYDRO POWER PLANT | 295 |
| Chapter 23: CASE STUDIES | 298 |
| 23.1 EXPERIENCE OF SUCCESSFUL DEVELOPERS | 298 |
| 23.2 CASE STUDY-I: BOGDONG MINI HYDRO POWER PROJECT | 299 |
| 23.3 CASE STUDY-II: SHP DHARAMSHALA HYDRO | 304 |
| 23.4 CASE STUDY-III: SHP: M/S BHORUKA POWER CORPORATION LTD (BPCL) | 304 |
| 23.5 CASE STUDY-IV: SHP: KKK HYDRO | 305 |
| 23.6 CASE STUDY-V: 2 × 8 MW PATIKARI HYDRO POWER PROJECT | 306 |
| 23.7 CASE STUDY-VI: IKU-II SMALL HYDRO PROJECT | 308 |
| Chapter 24: FREQUENTLY ASKED QUESTIONS ON DEVELOPMENT OF SMALL HYDROPOWER PROJECTS (SHPs) | 314 |